

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

1. (currently amended) A pharmaceutical, cosmetic, dietetic or nutraceutical composition comprising:

a combination of vasoactive agents consisting of a first vasoactive agent, a second vasoactive agent, and a third vasoactive agent, wherein,

- the first vasoactive agent is visnadin or esculoside,
- the second vasoactive agent is ~~at least one compound selected from the group consisting of icarin, 7-hydroxyethyl-icarin, 7-ethylamino-icarin, 7-aminoethyl-icarin, 7-hydroxyethyl-3-O-rhamnosyl-icarin, 7-aminoethyl-3-rhamnosyl-icarin, 8-dihydro-icarin and glucosides thereof in 7 and 3, and 7-hydroxyethyl-7-desglucoicarin, extracts containing icarin, Ginkgo biloba dimeric flavones,~~ either in a free form or complexed with phospholipids, [[and]] or amentoflavone, and

- the third vasoactive agent is a compound selected from the group consisting of escin, escin beta-sitosterol complexed with phospholipids, ~~sericoside, sericoside complexed with phospholipids,~~ and Centella asiatica extract in a free form or complexed with phospholipids.

2. (previously presented) The composition as claimed in claim 1, wherein,

the first vasoactive agent is 0.05-2% by weight of the composition,

the second vasoactive agent is 0.1-1% by weight of the composition, and

the third vasoactive agent is 0.5-2% by weight of the composition.

3. (canceled)

4. (previously presented) The composition as claimed in claim 1, wherein the combination of vasoactive agents is incorporated into a composition is in a form selected from the group consisting of a cream, a gel, a lotion, and a milk.

5. (canceled)

6. (withdrawn-currently amended) The composition as claimed in claim 1, wherein,

the first vasoactive agent is Visnadin,

the second vasoactive agent consists of ~~7-hydroxyethyl-7-desgluocicarin~~ and amentoflavone, and

the third vasoactive agent is escin.

7. (withdrawn-currently amended) The composition as claimed in claim 1, wherein,

the first vasoactive agent is esculoside,

the second vasoactive agent consists of ~~icarin and~~
amentoflavone, and

the third vasoactive agent is escin.

8. (withdrawn-currently amended) The composition as claimed in claim 1, wherein,

the first vasoactive agent is Visnadin, and

the second vasoactive agent consists of ~~7-hydroxyethyl-7-deoglucoside icarin and~~ *Ginkgo biloba* dimers in a free form or complexed with phospholipids.

9. (previously presented) The composition as claimed in claim 1, wherein,

the first vasoactive agent is Visnadin,

the second vasoactive agent is *Ginkgo biloba* dimers complexed with phospholipids, and

the third vasoactive agent is escin beta-sitosterol complexed with phospholipids.

10. (withdrawn) The composition as claimed in claim 1, wherein,

the first vasoactive agent is esculoside,

the second vasoactive agent is *Ginkgo biloba*
dimers complexed with phospholipids, and
the third vasoactive agent is escin beta-sitosterol
complexed with phospholipids.

11-12. (canceled)

13. (currently amended) A pharmaceutical, cosmetic,
dietetic or nutraceutical composition comprising:

a combination of vasoactive agents consisting of a
first vasoactive agent, a second vasoactive agent, and a third
vasoactive agent, wherein,

- the first vasoactive agent is visnadin,
- the second vasoactive agent is ~~at least one compound~~
~~selected from the group consisting of icarin, 7-hydroxyethyl-~~
~~icarin, 7-ethylamine icarin, 7-aminoethyl icarin, 7-~~
~~hydroxyethyl 3-O-rhamnosyl icarin, 7-aminoethyl 3-rhamnosyl-~~
~~icarin, 8-dihydro icarin and glucosides thereof in 7 and 3, and~~
~~7-hydroxyethyl 7-desglucoicarin, extracts containing icarin,~~
Ginkgo biloba dimeric flavones, either in a free form or
complexed with phospholipids, ~~[[and]]~~or amentoflavone, and
- the third vasoactive agent is a compound selected
from the group consisting of escin, escin beta-sitosterol
complexed with phospholipids, ~~sericoside, sericoside complexed~~

~~with phospholipids,~~ and Centella asiatica extract in a free form or complexed with phospholipids.

14. (currently amended) A pharmaceutical, cosmetic, dietetic or nutraceutical composition consisting of:

a combination of vasoactive agents incorporated into a form selected from the group consisting of a cream, a gel, a lotion, and a milk; and

the combination of vasoactive agents consisting of a first vasoactive agent, a second vasoactive agent, and a third vasoactive agent, wherein,

- the first vasoactive agent is visnadin or esculoside,
- the second vasoactive agent is ~~at least one compound selected from the group consisting of icarin, 7-hydroxyethyl-icarin, 7-ethylamine-icarin, 7-aminoethyl-icarin, 7-hydroxyethyl-3-O-rhamnosyl-icarin, 7-aminoethyl-3-rhamnosyl-icarin, 8-dihydro-icarin and glucosides thereof in 7 and 3, and 7-hydroxyethyl-7-desglucosyl-icarin, extracts containing icarin, Ginkgo biloba dimeric flavones either in a free form or complexed with phospholipids, [[and]] or amentoflavone, and~~
- the third vasoactive agent is a compound selected from the group consisting of escin, escin beta-sitosterol complexed with phospholipids, ~~sericoside, sericoside complexed with phospholipids,~~ and Centella asiatica extract in a free form or complexed with phospholipids.